

# CERTIFICATE OF ACCREDITATION

This is to attest that

#### **ELTEK INTERNATIONAL LABORATORIES**

248 HUGHES LANE ST. CHARLES, MISSOURI 63301, U.S.A.

**Testing Laboratory TL-457** 

has met the requirements of AC89, *IAS Accreditation Criteria for Testing Laboratories*, and has demonstrated compliance with ISO/IEC Standard 17025:2017, *General requirements for the competence of testing and calibration laboratories*. This organization is accredited to provide the services specified in the scope of accreditation.

Effective Date June 15, 2020



President

International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

#### **ELTEK INTERNATIONAL LABORATORIES**

www.elteklabs.com

Contact Name Andrea G. Morse

**Contact Phone** +1 636 949-5835

Accredited to ISO/IEC 17025:2017

Effective Date June 15, 2020

| Electrical |  |
|------------|--|
| ASTM D149  | Standard test method for dielectric breakdown voltage and dielectric strength of solid electrical insulating materials at commercial power frequencies |
| ASTM D150  | Standard test methods for ac loss characteristics and permittivity (dielectric constant) of solid electrical insulation                                |
| ASTM D257  | Standard test methods for DC resistance or conductance of insulating materials   |
| ASTM D495  | Standard test method for high-voltage, low-current, dry arc resistance of solid electrical insulation  |
| ASTM D1676 | Standard test methods for film-insulated magnet wire   |
| ASTM D1830 | Standard test method for thermal endurance of flexible sheet materials used for electrical insulation by the curved electrode method                   |
| ASTM D1932 | Standard test method for thermal endurance of flexible electrical insulating varnishes   |
| ASTM D2132 | Standard test method for dust-and-fog tracking and erosion resistance of electrical insulating materials   |
| ASTM D2303 | Standard test methods for liquid-contaminant, inclined-plane tracking and erosion of insulating materials  |
| ASTM D2304 | Standard test method for thermal endurance of rigid electrical insulating materials  |
| ASTM D2307 | Standard test method for thermal endurance of film-insulated round magnet wire   |
| ASTM D3251 | Standard test method for thermal endurance characteristics of electrical insulating varnishes applied over film-insulated magnet wire                  |
| ASTM D3455 | Standard test methods for compatibility of construction material with electrical insulating oil of petroleum origin                                    |
| ASTM D3638 | Standard test method for comparative tracking index of electrical insulating material  |
| ASTM D3755 | Standard test method for dielectric breakdown voltage and dielectric strength of solid electrical insulating materials under direct-voltage stress     |







#### International Accreditation Service, Inc.

| ASTM D5642       | Standard test method for sealed tube chemical compatibility test  |
|------------------|---|
| CSA C22.2 No. 53 | Electric washing machines (sections 32.2.1 thru 32.2.7)   |
| IEC 60034-1      | Rotating electrical machines - part 1: rating and performance   |
| IEC 60034-15     | Rotating electrical machines - part 15: impulse voltage withstand levels of form-wound stator coils for rotating A.C. machines  |
| IEC 60034-18-1   | Rotating electrical machines - part 18-1: functional evaluation of insulation systems - general guidelines  |
| IEC 60034-18-21  | Rotating electrical machines - part 18-21: functional evaluation of insulation systems - test procedures for wire-wound windings - thermal evaluation and classification  |
| IEC 60034-18-22  | Rotating electrical machines - part 18-22: functional evaluation of insulation systems - test procedures for wire-wound windings - classification of changes and insulation component substitutions                       |
| IEC 60034-18-31  | Rotating electrical machines - part 18-31: functional evaluation of insulation systems - test procedures for form-wound windings - thermal evaluation and classification of insulation systems used in rotating machines  |
| IEC 60034-18-32  | Rotating electrical machines - part 18-32: functional evaluation of insulation systems - test procedures for form-wound windings - evaluation by electrical endurance   |
| IEC 60034-18-33  | Rotating electrical machines - part 18-33: functional evaluation of insulation systems - test procedures for form-wound windings - multifactor evaluation by endurance under simultaneous thermal and electrical stresses |
| IEC 60034-18-34  | Rotating electrical machines - part 18-34: functional evaluation of insulation systems - test procedures for form-wound windings - evaluation of thermomechanical endurance of insulation systems                         |
| IEC 60034-18-41  | Rotating electrical machines - part 18-41: partial discharge free electrical insulation systems (type i) used in rotating electrical machines fed from voltage converters - qualification and quality control tests       |
| IEC 60034-18-42  | Rotating electrical machines - part 18-42: partial discharge resistant electrical insulation systems (type ii) used in rotating electrical machines fed from voltage converters - qualification tests                     |
| IEC 60034-31     | Rotating electrical machines - part 31: selection of energy-efficient motors including variable speed applications - application guide  |
| IEC 60076-3      | Power transformers - part 3: insulation levels, dielectric tests and external clearances in air   |
| IEC 60093        | Recommended methods of test for volume and surface resistivities of electrical insulating materials   |
| IEC 60112        | Method for the determination of the proof and the comparative tracking indices of solid insulating materials  |
| <u> </u>         |   |





#### International Accreditation Service, Inc.

| IEC 60167    | Methods of test for the determination of the insulation resistance of solid insulating materials   |
|--------------|--|
| IEC 60172    | Test procedure for the determination of the temperature index of enamelled and tape wrapped winding wires  |
| IEC 60216-1  | Electrical insulating materials - thermal endurance properties - part 1: ageing procedures and evaluation of test results  |
| IEC 60216-2  | Electrical insulating materials - thermal endurance properties - part 2: determination of thermal endurance properties of electrical insulating materials - choice of test criteria          |
| IEC 60216-6  | Electrical insulating materials - thermal endurance properties - part 6: determination of thermal endurance indices (TI and RTE) of an insulating material using the fixed time frame method |
| IEC 60243-1  | Electric strength of insulating materials - test methods - part 1: tests at power frequencies  |
| IEC 60243-2  | Electric strength of insulating materials - test methods - part 2: additional requirements for tests using direct voltage  |
| IEC 60343    | Recommended test methods for determining the relative resistance of insulating materials to breakdown by surface discharges  |
| IEC 60505    | Evaluation and qualification of electrical insulation systems  |
| IEC 60587    | Electrical insulating materials used under severe ambient conditions - test methods for evaluating resistance to tracking and erosion  |
| IEC 60851-4  | Winding wires - test methods - part 4: chemical properties   |
| IEC 61033    | Test methods for the determination of bond strength of impregnating agents to an enamelled wire substrate  |
| IEC 61621    | Dry, solid insulating materials - Resistance test to high-voltage, low-current arc discharges  |
| IEC 61857-1  | Electrical insulation systems - procedures for thermal evaluation - part 1: general requirements - low-voltage   |
| IEC 61857-21 | Electrical insulation systems - procedures for thermal evaluation - part 21: specific requirements for general-purpose models - wire-wound applications                                      |
| IEC 61857-22 | Electrical insulation systems - procedures for thermal evaluation - part 22: specific requirements for encapsulated-coil model - wire-wound electrical insulation system (EIS)               |
| IEC 61857-31 | Electrical insulation systems - procedures for short time thermal evaluation - part 31: applications with a designed life of 5 000 h or less   |
| IEC 61857-32 | Electrical insulation systems - procedures for thermal evaluation - part 32: multifactor evaluation with increased factors during diagnostic testing   |



#### International Accreditation Service, Inc.

| IEC 61857-33   | Electrical insulation systems - procedures for thermal evaluation - part 33: multifactor evaluation with increased factors at elevated temperature   |
|----------------|--|
| IEC 61857-41   | Electrical insulation systems- procedures for thermal evaluation - part 41: specific requirements for electrical insulation systems for use in dry-type high-voltage transformers with operating voltages of 1kV and above |
| IEC 61858-1    | Electrical insulation systems - thermal evaluation of modifications to an established electrical insulation system (EIS) - part 1: wire-wound winding EIS  |
| IEC 61858-2    | Electrical insulation systems - thermal evaluation of modifications to an established electrical insulation system (EIS) - part 2: form-wound EIS  |
| IEC/TR 60894   | Guide for test procedure for the measurement of loss tangent of coils and bars for machine windings  |
| IEEE 99        | Preparation of test procedures for the thermal evaluation of insulation systems for electrical equipment (section 9)   |
| IEEE 117       | Test procedure for thermal evaluation of systems of insulating materials for random-wound ac electric machinery  |
| IEEE 259       | Test procedure for evaluation of systems of insulation for dry-type speciality and general-purpose transformers  |
| IEEE 1043      | Recommended practice for voltage-endurance testing of form-wound bars and coils  |
| IEEE 1776      | Thermal evaluation of unsealed or sealed insulation systems for ac electric machinery employing form-wound pre-insulated stator coils for machines rated 15000 V and below   |
| IEEE C57.12.56 | Thermal evaluation of insulation systems for ventilated dry-type power and distribution transformers   |
| IEEE C57.12.60 | Test procedure for thermal evaluation of insulation systems for dry-type power and distribution transformers, including open-wound, solid-cast, and resinencapsulated transformers   |
| IEEE C57.100   | Thermal evaluation of insulation systems for liquid-immersed distribution and power transformers   |
| NEMA MW 1000   | Magnet Wire  |
| UL 746A        | Standard for polymeric materials - short term property evaluations (only sections 21, 22, 23, 24, 25, 26)  |
| UL 746B        | Standard for polymeric materials - long term property evaluations (only sections 6-17, 19, 20, and 20A)  |
| UL 984         | Hermetic refrigerant motor-compressors (section 41)  |
| UL 1446        | Standard for systems of insulating materials - general   |



#### International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| UL 1446A     | Outline of Investigation for Dry Type Transformer Insulation Systems Rated Above 1 kV   |
|--------------|---|
| UL 2157      | Electric clothes washing machines and extractors (sections 26.13, 26.14)  |
| UL 2353      | Standard for safety for single- and multi-layer insulated winding wire  |
| UL 5703      | Outline of investigation for determination of the maximum operating temperature rating of photovoltaic (pv) backsheet materials |
| Mechanical   |   |
| ASTM D256    | Standard test methods for determining the izod pendulum impact resistance of plastics   |
| ASTM D570    | Standard test method for water absorption of plastics   |
| ASTM D638    | Standard test method for tensile properties of plastics active standard   |
| ASTM D790    | Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials       |
| ASTM D882    | Standard test method for tensile properties of thin plastic sheeting  |
| ASTM D1653   | Standard test methods for water vapor transmission of organic coating films   |
| ASTM D1822   | Standard test method for tensile-impact energy to break plastics and electrical insulating materials                            |
| ASTM D1876   | Standard test method for peel resistance of adhesives (t-peel test)   |
| ASTM D2240   | Standard test method for rubber property—durometer hardness   |
| ASTM D2519   | Standard test method for bond strength of electrical insulating varnishes by the helical coil test                              |
| ASTM D3145   | Standard test method for thermal endurance of electrical insulating varnishes by the helical coil method                        |
| ASTM E96/96M | Standard test methods for water vapor transmission of materials   |
| ISO 62       | Plastics - determination of water absorption  |
| ISO 178      | Plastics - determination of flexural properties   |
| ISO 180      | Plastics - determination of izod impact strength  |
| ISO 527-1    | Plastics – determination of tensile properties – part 1: general principles   |
| ISO 527-2    | Plastics - determination of tensile properties - part 2: test conditions for moulding and extrusion plastics                    |
| ISO 527-3    | Plastics - determination of tensile properties - part 3: test conditions for films and sheets                                   |
| ISO 868      | Plastics and ebonite Determination of indentation hardness by means of a durometer (shore hardness)                             |

TL-457



#### International Accreditation Service, Inc.

3060 Saturn Street, Suite 100, Brea, California 92821, U.S.A. | www.iasonline.org

| ISO 8256        | Plastics - determination of tensile-impact strength  |
|-----------------|--|
| NEMA RE-2       | Electrical Insulating Varnish (section 4.11)   |
| UL 746A         | Standard for polymeric materials - short term property evaluations (sections 10, 11, 12, 13, 14, 16, 20, 38)                                     |
| UL 2157         | Electric clothes washing machines and extractors (sections 26.2.6 and 26.2.7)  |
| Fire            |  |
| ASTM D635       | Standard test method for rate of burning and/or extent and time of burning of plastics in a horizontal position                                  |
| ASTM D3801      | Standard test method for measuring the comparative burning characteristics of solid plastics in a vertical position                              |
| ASTM D3874      | Standard test method for ignition of materials by hot wire sources   |
| ASTM D5048      | Standard test method for measuring the comparative burning characteristics and resistance to burn-through of solid plastics using a 125-mm flame |
| ASTM D6194      | Standard test method for glow-wire ignition of materials   |
| IEC 60695-2-10  | Fire hazard testing - part 2-10: glowing/hot-wire based test methods - glow-wire apparatus and common test procedure                             |
| IEC 60695-2-11  | Fire hazard testing – part 2-11: glowing/hot-wire based test methods – glow-wire flammability test method for end-products (GWEPT)               |
| IEC 60695-2-12  | Fire hazard testing - part 2-12: glowing/hot-wire based test methods - glow-wire flammability index (GWFI) test method for materials             |
| IEC 60695-2-13  | Fire hazard testing - part 2-13: glowing/hot-wire based test methods - glow-wire ignition temperature (GWIT) test method for materials           |
| IEC 60695-2-20  | Fire hazard testing - part 2: glowing/hot wire based test methods - section 20: hot-wire coil ignitability test on materials                     |
| IEC 60695-11-10 | Fire hazard testing - part 11-10: test flames - 50 W horizontal and vertical flame test methods  |
| IEC 60695-11-20 | Fire hazard testing - part 11-20: test flames - 500 W flame test method  |
| ISO 1210        | Plastics - determination of the burning behaviour of horizontal and vertical specimens in contact with a small-flame ignition source             |
| ISO 9773        | Plastics - determination of burning behaviour of thin flexible vertical specimens in contact with a small-flame ignition source                  |
| UL 94           | Standard for tests for flammability of plastic materials for parts in devices and appliances (sections 7, 8, 9, 10 and 11)                       |
| UL 746A         | Standard for polymeric materials - short term property evaluations (sections 31, 32, 33, 34, 35)   |

TL-457



### International Accreditation Service, Inc.

| UL 746C | Standard for polymeric materials - use in electrical equipment evaluations (sections 9, 10, 11, 12, 13, 14, 16, 17 35, 51, 52) (Except section 12.2) |
|---------|--|
| UL 1441 | Coated electrical sleeving (sections 5.6 and 5.7)  |
| UL 2157 | Electric clothes washing machines and extractors (sections 26.5, 26.6, 26.12 and 26.19)  |

